

Release Notes for Nuke and Hiero 16.0v2

Copyright © 2025 The Foundry Visionmongers Ltd.

Release Date

1 May 2025

Bug Fixes

3D

- **ID 575713** - Axis: load all prims and payloads even if AxisOp importer is only loading a single prim
- **ID 585629** - ScanlineRender will no longer fail to render all geometry
- **ID 594756** - Export of USD camera from Camera Node doesn't always update - Hydra

BlinkScript

- **ID 275860** - Blinksript node executed in parallel on a single host causes render fail with signal 11

Colorspace

- **ID 494532** - The Color Management knob default resets when clearing or closing a comp in Nuke

Conform

- **ID 502945** - Importing a track now moves soft effects along the other items in the sequence, and the action is reversible with undo.

Contact Sheet

- **ID 597861** - Contact Sheet adds frame tags/markers from the sequence to the Contact Sheet Viewer

Hydra Viewer

- **ID 594509** - Texture with animated data window doesn't display correctly on geometry - Hydra

LiveGroups

- **ID 426579** - LiveGroup updates users knobs correctly in opened scripts when using Reload button

MacOS

- **ID 596035** - Pressing Alt stops the mouse wheel from zooming on most panels on macOS

Machine Learning

- **ID 594475** - Animation on custom knobs on the inference node is not correctly applied
- **ID 597123** - Fails to convert a torchscript larger than 2GB on Windows

Monitor Out

- **ID 588124** - Nuke's Viewer AJA monitor out values are not correct
- **ID 594679** - Floating Window does not have a minimum size

Multishot

- **ID 585447** - Write node inside a VariableGroup is now using inherited variables when written out
- **ID 593786** - LiveGroup Group View resizes correctly when there is no Output node

Node Graph

- **ID 595430** - Postage Stamp updates when playback is stopped to match the current frame

Python

- **ID 135206** - Calling `node.dependencies()` or `node.dependent()` now returns consistent results for `nuke.EXPRESSION` in Terminal mode
- **ID 564904** - Nuke does no longer crashes in specific Nuke scripts when changing a Read nodes file path pythonically

Quick Export

- **ID 593515** - Change default audio values for Quick Export to be consistent with Custom export
- **ID 594591** - Disabling Audio Track item or Audio Clip item creates an empty track when export file is created.
In Windows user may have to manually clear the audio cache to display correctly.

Shortcuts

- **ID 590814** - Node Graph shortcuts will sometimes apply with the timeline open

Soft Effects/Transitions

- **ID 550059** - Knob changes no longer reset after redoing cloned soft effects.
- **ID 588360** - Additional keyframe no longer added for copied transform effects
- **ID 593333** - The Viewer no longer flickers when typing on a text Soft Effect

Sync Review

- **ID 587459** - Clip Annotations don't sync between Sync Review participants when Track Item and Bin Item active versions are different

Timeline

- **ID 590394** - Video and Audio Tracks within Clips cannot be reordered
- **ID 593091** - The In/Out points are missing when duplicating a Sequence and viewing the timeline.

UI

- **ID 595617** - (Linux Only) Crash when resizing Histogram panel till it disappear

VFX Reference Platform CY2024

- **ID 591019** - Nuke Graph sometimes on start-up is displayed as black
- **ID 593373** - Visual artifacts in the Viewer and DAG when changing panel/dock sizes
- **ID 594802** - Moving main window resizes floating panes on Windows
- **ID 595480** - Fixed: Dope Sheet and Curve Editor hotkeys/shortcuts stop working if you click more than once in the panel
- **ID 596057** - Hover focus hotkeys/shortcuts stop working if you click more than once in a different panel

Known Issues

3D

- **ID 575077** - ScanlineRender2 overscan error - error notification due to wrong knob name
- **ID 575330** - GeoCard 'Control Points' knob becomes unaligned when the type is changed from 'none'
- **ID 576826** - Scanline render2 producing jagged edges in shadow
- **ID 577583** - Popup scenegraph to replace existing mask rather than appending
- **ID 579086** - Prim::setMetadataByDictKey(const Token\&, const Token\&, const Value\&) method added
- **ID 579552** - GeoCard does not highlight when the node is selected

- **ID 579729** - Framehold not working when connected to the material input of GeoCard/GeoCube
- **ID 581736** - GeoXform in edit mode sets new nodes created under it as children of the modified node
- **ID 581737** - Switching GeoXform node from edit mode to create mode duplicates the node connected to it in the viewer
- **ID 582899** - ScanlineRender doesn't produce correct normals
- **ID 583116** - SLR2 not updating animated objects in windows OS
- **ID 583624** - Scenegraph overrides payloads load rules set in the node graph
- **ID 584419** - New snap menu pivot to bbox has unexpected results for some imported assets
- **ID 584677** - GeoPointsToMesh only handles default/vertex normals
- **ID 584735** - PoissonMesh and GeoPointsToMesh often hang
- **ID 584997** - Snap menu's pivot-to (orientation only) affects geometry if scale knobs are not all 1
- **ID 585615** - Matching expressions don't work with list based collections
- **ID 586470** - Hydra output on Intel Mac with Intel GPU has random colors and doesn't clear on redraw
- **ID 586966** - Translation issue for assets with z or x axis facing up in nuke
- **ID 587190** - Clipping plane disrupts geo in viewer when looking through camera
- **ID 587425** - Bleeding issues addressed in face mode selection
- **ID 587675** - Environment Lights Displaying upside down in the Hydra Viewer
- **ID 587677** - slr2 stripey Z depth output
- **ID 587941** - GeoConstrain Local Matrix has no effect if Specify Matrix is enabled
- **ID 588710** - GeoInstance transform doesn't animate
- **ID 589529** - Crash connecting an old camera or Axis to a GeoScene node
- **ID 590139** - GeoCard: should display the Rows/Columns when selected like the classic system
- **ID 590140** - GeoCard: doesn't always display materials with an alpha less than one
- **ID 590142** - GeoCard: double clicking GeoCard node should show the node as selected in the 3D viewer

- **ID 590890** - Animated snap takes a long time if there are a lot of nodes, even if they are not connected
- **ID 591495** - Consistent camera defaults for nuke cam, usd cam, viewer generated cam
- **ID 591633** - 2D Image information bar is still present in 3D viewer
- **ID 591859** - Frame object in viewer broken
- **ID 593942** - USD files dropped in to node graph default to ReadGeo node being used w/ the ReadGeo node placed in wrong location in node graph
- **ID 594827** - GeoPoints mat input is not labelled and is in the wrong place
- **ID 597476** - Write node render time increases significantly when viewing a 3d scene while rendering
- **ID 598532** - Removing all Variables in a Var set will remove the Variable set

BlinkScript

- **ID 584226** - When a bracket is off screen, and then scrolled to, it is not highlighted
- **ID 588560** - Special Characters break the indicator
- **ID 588764** - The Safety Rails feature of BlinkScripts for guarding against out-of-bounds access is not enabled on the GPUs of Intel Macs
- **ID 590444** - BlinkScript Editor draws off the edge of the screen when viewing large kernels

Contact Sheet

- **ID 589639** - Comparing sequences with different resolutions scales the images in the viewer relative to their respective resolutions
- **ID 590036** - Nuke crashes when Pick Mode is enabled in a Sync Session.
- **ID 590037** - When Contact Sheet is enabled before a Sync Review session is started, Nuke will crash
- **ID 590045** - Preview players no longer have a gap between them
- **ID 592114** - Clips disappear from the Contact Sheet if there are missing frames
- **ID 592510** - (Only MacOS) Show Annotations toggle causes MO device to show purple
- **ID 592550** - Monitor Out SDI and NDI not updating on Contact Sheet Viewer playback

- **ID 592786** - Moving a clip in the Timeline may un-highlight other clips in Pick Mode
- **ID 593392** - Undoing dropping clip into empty sequence will toggle the Contact Sheet button ON.
- **ID 593421** - Cmd + Left Click on a track doesn't select any of the track items
- **ID 593593** - Pick mode Selects Timeline Transitions
- **ID 593597** - Player Cache bar does not get drawn correctly in Contact Sheet viewer
- **ID 593632** - setPage, setMaximumColumnCount and setMaximumRowCount python API allows the user to set float values
- **ID 593854** - Closing and Opening an Soft-effect in the properties bin changes the Contact Sheet current frame
- **ID 593986** - EXRs with missing layers doesn't display a border
- **ID 594210** - Shift - H Toggle Tag Filtering Hotkeys only works once in the TimelineView
- **ID 594326** - Changing pages removes In and Out points for the Contact Sheet Viewer
- **ID 594350** - Changing the Row/Col on the last page doesn't update correctly
- **ID 594389** - Setting Tag Filtering via the python while the Contact Sheet Viewer isn't open won't display clips after creating a Contact Sheet Viewer
- **ID 594564** - When a Contact Sheet Viewer is open some scopes become locked
- **ID 598477** - Sequence Frame tags can't be added in Contact Sheet viewer anymore

Documentation

- **ID 594582** - Preferences > Docs > documentation source is pointing to 'local' when set to 'foundry'

Exporting

- **ID 589757** - FrameServer errors that are thrown before a render starts are shown in the terminal running the Nuke process, but they don't appear in the Background Renders panel's logs tab.

File Import

- **ID 588371** - Loading files into new builds fails when having env variable set for FileIO

Link Nodes

- **ID 591095** - Primatte's colour picker shares data between linked nodes with enabled override

MacOS

- **ID 585808** - UI line width is limited to 16 pixels (macOS)
- **ID 587863** - Nuke viewer capped at 60 fps (macOS)
- **ID 594658** - Terminal error spits out error "Zink: Failed to get IOSurface"
- **ID 594761** - Launching Nuke from the GUI icons will crash upon start-up on some Macs
- **ID 598535** - The cut, copy, and paste commands become disabled when right-clicking inside the Curve editor in Nuke on macOS.
- **ID 598538** - The Rename Shots menu shortcut for Shift+Option+/- now requires Control to be pressed on macOS.

Miscellaneous

- **ID 587583** - (Windows) Crash using older AMD drivers. Crash with 31.0.12027.9001 on a Radeon Pro WX 7100. No crash with 31.0.21916.1002 and 31.0.21018.6011 on a Radeon Pro WX 7100, and 32.0.11027.1003 on a AMD Radeon RX6700 XT.

Monitor Out

- **ID 586498** - Scaling floating window stretches and squeezes the image while being resized (Windows)
- **ID 593376** - Monitor Out window introduces unremovable unnecessary grey space if resized horizontally
- **ID 594057** - Small blank MO Floating Window may appear when using VR
- **ID 597952** - Changing knobs in the Node Graph in Nuke Studio can cause the monitor out display to flip upside down

Multichannel Soft Effects

- **ID 576380** - Bin items show RGB channel indicator, even if they are not present.
- **ID 582547** - Adjusting the mask knob during playback does not result in a correct mask

Multishot

- **ID 572587** - non-group nodes root item shows as unnamed
- **ID 577486** - Middle click changes the hit group
- **ID 584182** - Selecting a list option on an inherited variable will change the variable type to string
- **ID 584377** - The height of the Label input box is larger than elsewhere (see the same widget for editing user knobs to the right)
- **ID 587036** - Disabled GSV knob is not scrollable
- **ID 587589** - Cutting (CMD+X) a linked node, then cloning the parent and then pasting creates a cloned link
- **ID 587593** - Copy/Cut with nothing selected results in : 'Cannot copy/cut across multiple groups' error
- **ID 588192** - GeoImport Gsv file knob is not working as expected passing string vars
- **ID 589109** - Nodes in an input tree of a var group should see the variables defined by it
- **ID 589706** - Updating variables using python does not update value until user clicks on the Variable panel
- **ID 590072** - Grouping a group with a child link node breaks link
- **ID 590243** - Variable Switch - Thumbnails will error temporarily before resolving with networked files
- **ID 591907** - Typo in Create Variant popup
- **ID 591987** - Variant switches when trying to adjust value of overridden knob for a first time
- **ID 592017** - Unable to remove "Divider Line" knobs from the panel
- **ID 592891** - Nuke will not recognize blank GSV on file paths
- **ID 593887** - Unnamed (default) GSV set not found for nested group path (python only)

- **ID 595095** - GSV Knob on Root Node does not display variables for VariableGroups which have been nested inside regular Groups
- **ID 595335** - Link node override knob requires hover away to reveal selection
- **ID 596622** - Reinstate the X icon properly to discard variable from panel
- **ID 597057** - Edit options on the Root row should be disallowed
- **ID 597058** - Removing all Variables in a Var set will remove the Variable set
- **ID 597503** - GSVs in a Read node's file-path can fail to evaluate when the Nuke script is Saved/Autosaved

Node

- **ID 591134** - HTML/ UTF-8 character sets in the text node no longer work

Node Graph

- **ID 595321** - (MacOS Only) Postage Stamp image gets premults if macOS HDR is enabled

OpenAssetIO

- **ID 580110** - Knob values inherited from an asset are no longer highlighted after undoing a user change
- **ID 586349** - Knob values don't update on restart or clear caches
- **ID 586454** - Terminal warnings if OPENASSETIO_DEFAULT_CONFIG is set

Project

- **ID 597160** - Saving unicode control characters (0001 to 001F) in a .hrox stops you being able to open the project

Python

- **ID 595867** - Knobs containing GSVs do not always return the correct result when evaluated via Python
- **ID 596598** - Nuke crashes when trying to add a QtWebEngineWidgets.QWebEngineView to a Nuke panel
- **ID 598731** - `hiero.core.TrackItem.thumbnail()` does not work for MOV or MXF files
- **ID 598732** - `hiero.core.TrackItem.thumbnail()` does not work, unless the optional 'frame' and 'layer' arguments are given

Quick Export

- **ID 589137** - Exporting shot directly from timeline will show both Quick and Custom export tabs.
- **ID 590316** - Incorrect pixel aspect ratio when exporting to PAL / NTSC
- **ID 591048** - Ranges is unavailable and will default to whole Sequence
- **ID 591049** - Include Annotations is unavailable
- **ID 591377** - Cancelling Quick Export is not deleting a file (Windows only)
- **ID 592312** - Quick export crashes if there is a offline media at the end
- **ID 593290** - Overwriting source file with Quick Export will crash nuke
- **ID 593293** - Crash when layer is chosen in viewer
- **ID 594146** - Issues when exporting sequence with audio track longer then video
- **ID 594590** - Encoders are flushed prematurely in the export process.
- **ID 595141** - Quick Export - crash when a rendering a section that has just audio at the end
- **ID 598754** - Quick export will not export right side view

Soft Effects/Transitions

- **ID 595880** - Over operation in Merge Kernel not working

Timeline

- **ID 580026** - Active playhead selection prevents use of select track tool for other shots in the sequence
- **ID 580654** - Hard selecting an already soft-selected item with select or effect selector tool doesn't update the UI
- **ID 582613** - Shift + Dragging on an empty spot of the timeline causes the current soft selection to go into a hard selection
- **ID 590942** - When a shot has a number of soft effects, the user is unable to resize the thumbnail of a shot after re-opening a project
- **ID 593981** - Preview players appear empty before the images load

UI

- **ID 594565** - Maximising a minimised Nuke window doesn't draw the DAG and Viewers in the Animation

VFX Reference Platform CY2024

- **ID 586456** - AVP renderer doesn't work in Nuke
- **ID 587691** - Moving mouse in and out of Curve Editor and Dope Sheet widgets causes the playheads to update - Timeline
- **ID 598483** - (Mac) Hover Focus does not switch to Full Focus on Right Click in Viewers/DAG

Viewer

- **ID 580551** - Paused image has a 1px blur when zoomed in at around 180-220%
- **ID 594100** - Changing color channels using hotkeys between Node Graph Viewer and Timeline Viewer is broken

Qualified Operating Systems

- Nuke 15.0 and later support Apple's silicon hardware.
- macOS Sonoma (14.x), or macOS Sequoia (15.x)

For more information on Foundry products and supported macOS versions, see Foundry Knowledge Base article [Q100592](#).

- Windows 10 (64-bit) or Windows 11 (64-bit)
- Linux Rocky 9.0 (64-bit)

Nuke requires **libnuma** to run under Linux distributions, the library is required by the Nabelt H264 Codec SDK.

The currently supported version of VFX Reference Platform includes library versions that are only compatible with Rocky 9.0.

Other operating systems may work, but have not been fully tested.

Requirements for Nuke's GPU Acceleration

If you want to enable Nuke to calculate certain nodes using the GPU, there are some additional requirements.

NVIDIA

An NVIDIA GPU with graphics drivers capable of running CUDA 11.8, or above. A list of the compute capabilities of NVIDIA GPUs is available at <https://developer.nvidia.com/cuda-gpus>

The compute capability is a property of the GPU hardware and can't be altered by a software update.

With graphics drivers capable of running CUDA 11.8, or above. On Windows and Linux, CUDA graphics drivers are bundled with the regular drivers for your NVIDIA GPU. Driver versions 522.06 (Windows) and 520.61.05 (Linux), or above are required. See <https://www.nvidia.com/Download/Find.aspx> for more information on compatible drivers.

We recommend using the latest graphics drivers, where possible, regardless of operating system.

AMD

Bitwise equality between GPU and CPU holds in most cases, but for some operations there are limitations to the accuracy possible with this configuration.

- On Windows and Linux, an AMD GPU from the following list:

Other AMD GPUs may work, but have not been fully tested.

- AMD Radeon PRO W7900
- AMD Radeon PRO W6600
- AMD Radeon PRO W6800
- AMD Radeon Pro W5700
- AMD Radeon RX 6800 XT

For information on the recommended driver for each GPU, see <https://www.amd.com/en/support>

- On Mac, integrated AMD GPUs are supported on the following Intel CPU Macs:
 - Any late 2013 Mac Pro onward (including 2019 Mac Pro),
 - Mid-2015 MacBook Pros onward, and
 - Late 2017 iMac Pros onward.

All supported Mac Pros include a multi-GPU support option, where applicable. Bitwise equality between GPU and CPU holds in most cases, but for some operations, there are limitations to the accuracy possible with this configuration.

Although AMD GPUs are enabled on other Mac models, they are not officially supported and used at your own risk.

Multi-GPU Processing

Nuke's GPU support includes an **Enable multi-GPU support** option. When enabled in the preferences, GPU processing is shared between the available GPUs for extra processing speed.

Multi-GPU processing is only available for identical GPUs in the same machine. For example, two NVIDIA GeForce GTX 1080s or two AMD Radeon™ Pro WX 9100s.

GPU Requirements for the Machine Learning Toolset

Training using the CopyCat node requires an NVIDIA GPU, with compute capability 3.5 or above; or MacOS Apple silicon integrated GPUs.

If an appropriate GPU is not available, Inference and other machine learning plug-ins can run on the CPU with significantly degraded performance.

Developer Notes

As Nuke develops, we sometimes have to make changes to the API and ABI under the hood. We try to keep these changes to a minimum and only for certain releases, but from time to time API and ABI compatibility is not guaranteed. See the following table for the situations when you may have to recompile your plug-ins and/or make changes to the source code.

Release Type	Example	Compatibility	Recompile	Rewrite
Version	14.0v1 to 14.0v2	API and ABI		
Point	14.0v1 to 14.1v1	API	●	
Major	14.0v1 to 15.0v1	-	●	●

Additionally, node **Class()** names occasionally change between major releases. While these changes do not affect legacy scripts, you may not get the results you were expecting if a node class has been modified. The **toolbars.py** file, used to create Nuke's node toolbar, contains all the current node class names and is located in `<install_directory>/plugins/nukescripts/` for reference.

As an example, between Nuke 13 and Nuke 14, the Axis node **Class()** changed from Axis3 to Axis4. In the **toolbars.py** file for the two releases, the entries for the Axis node appear as follows:

```
m3Dclassic.addCommand(
    "Axis",
    "nuke.createNode(\"Axis3\") ",
    icon="Axis.png",
    tag=MenuItemTag.Classic,
    node="Axis3",
    tagTarget=MenuItemTagTargetFlag.TabMenu)
```

```
m3D.addCommand(
    "Axis",
    "nuke.createNode(\"Axis4\") ",
```

```
icon="Axis_3D.png",  
tag=MenuItemTag.Beta, node="Axis4")
```